





We are the first choice supplier for leading architects, construction companies, builders and the self-build sector.



Quality

Our measure of excellence is to ensure we exceed the needs of our customers and the requirements of the marketplace, in every product and touchpoint.



Productivity

We infuse our products and services with the knowledge that our customers require a construction process, that is both streamline and compliant.



Lab Technology

RTU doesn't just sell products
- we manufacture them.
Everything starts in our modern
laboratory and is developed
through science and research.



Expert Consultation

Our team has extensive knowledge and the experience to rise to the challenges our customers face with project-specific solutions.



Customer Service

From the first contact through to aftercare, our unrivalled customer experience provides seamless logistics, hassle-free delivery and peace-of-mind.



Trained Installation

From our approved and trusted network - who better to install our products than someone who has undergone specific training in how to do so?



Ultracem® is our portland cement-based, pump-applied liquid floor screed incorporating *IntegraCure*. This revolutionary development creates a standout product that removes the need for a curing agent to be sprayed and allows for a much less laborious installation process.

Ultracem® excels due to its fast track qualities, and the speed and ease of install compared to other liquid floor screeds and traditional sand:cement screeds. The integrity of Ultracem®, like its sister-product Ultraflo®, is transformative for the commercial and residential construction sectors with significant benefits delivered to the project build, the install and the finished floor.

The sheer diversity of Ultracem® makes it the ideal liquid floor screed solution, highlighted by its compatibility with all standard floor coverings. Not only is Ultracem® suitable for wet areas, but our innovative product also ensures unrivalled thermal conductivity levels and fast heat response times with underfloor heating.





Due to its liquid form, Ultracem® is easier to apply with the reduced depth requirement enabling installation of 1000m³ per day.

Compared to traditional sand:cement screeds, the thinner application required by Ultracem® increases drying times, significantly enhancing on-site productivity.

As a product that is both self-levelling and less voluminous, the installation of Ultracem® requires less personnel and can reduce the timescales on building projects.





Ultracem® is installed by trained and skilled contractors who have extensive experience with liquid floor screeds.

RTU counters our customers' challenges by offering project-specific solutions that ensure hassle-free delivery and peace of mind.

Our experienced team will provide expert consultation, seamless logistics and excellent customer service at every stage of the process.





Contact our team:

Tel: 028 9085 1441 sales@rtu.co.uk www.rtu.co.uk



RTU LTD
Cloughfern Avenue, Newtownabbey, BT37 0UZ







